



PATIENT-CONTROLLED SEDATION METHODS IN PHARMACOLOGY AND MEDICAL RESEARCH

Murlidhar Rao^{1*}, Pulagurtha Bhaskararao², Raman Kumari³, Saurabh
Jawahar Sanghavi⁴, Bindu Madhuri Kamba⁵, Sonali Vinod Uppalwar⁶

Article History: Received: 12.12.2022

Revised: 29.01.2023

Accepted: 15.03.2023

Abstract

Patient controlled sedation is nothing is a painless procedure, which is given to the patient. Many patients are opting for the general anesthesia procedure as it lead them with the painless affect during the surgery. It has been seen that most of people they have fear in the ways of giving sedation to the patients. It has also been observed that unprofessional doctors are using during levels methods and techniques for providing the sedation, which is neither accurate for the patient nor good for their careers too. Operation or the surgery cannot be done without giving anesthesia or the sedation. It is a process of pacifying the patient before any process. It can be in the form of medicines or the injections. These drugs help the patients in realizing the pain and eagerness before the surgery.

Keywords: General anesthesia, sedation, painless, relief, pharmacology, patient

^{1*}St.Mary's College of Pharmacy, H.No.9-1-248, St.Francis Street, Secunderabad, Telangana, India Pincode-500025

²Aditya Pharmacy College, Surampalem, College, JNTUK Kakinada, Andhra Pradesh, India

³Om sterling global university, Hisar -125001, Haryana, India

⁴Department of Pharmaceutics, SVPM College of Pharmacy, Malegaon, Baramati, Dist- Pune, Maharashtra, 413 115, India

⁵Department of Pharmacy Practice, Krupanidhi College of Pharmacy, Bengaluru, 560035, Karnataka, India

⁶Ideal Institute of Pharmacy

DOI: 10.31838/ecb/2023.12.1.243

Corresponding Author

Murlidhar Rao

^{1*}St.Mary's College of Pharmacy, H.No.9-1-248, St.Francis Street, Secunderabad, Telangana, India Pincode-500025

1. Introductions

A sedation term is commonly used in the context of pharmacology. It is a condition of restfulness, moderating, drowsiness caused by drugs. Sedation during sympatric and curative process must be safe and pleasant for the patients [1]. To reach a certain goal, a non anesthesiologist, is a doctor with special training in giving sedation or other kinds of drugs to put a stop and demise pain during the surgery. The person who is carry about the sedation process should be skilled in diagnosing the sedation [2]. The use of sedation has been rapidly increased in these days. Use of sedation generally to reduce the pain of the patient during any specific surgery. Sometimes, it may cause fear and stress on the patients, as most of the patients are not aware and some of them are not comfortable with it. The person who goes through this procedure protection, security. It has been seen that the chances of risk is more in the sedation process. Over sedation given by the untrained doctors may lead to the insensibility of the patient, the patient who is suffering from the breathing problem, for them the sedation is not meant to be [4]. Variation of drugs is harmful for the patients. More risk is there, when sedation is formed by the untrained people and it may lead to cause blunder. Patient controlled sedation (PCS) it includes the patient self-managing the seductive for their benefits. It is highly commend for the small operations or

process like endoscopy and amnesia. It is highly safe and beneficial for the patients.

Objectives

According to the researchers, the important objectives are as follows:

- To find out the advantages of sedation in Pharmacology.
- To understand the disadvantages of sedation in Pharmacology.
- To explain the different methods of Sedation.
- To analyze the importance of Sedation Technique for the Patient .
- To discover the different levels of Sedation.
- To realize advantages of Sedation over general over general Anesthesia.
- To discuss the usefulness of Sedation in the patients.

2. Methodology

In the topic, the researchers have tried various information from secondary data collection method like the information published from the government, the records of the previous researchers [5]. Graphical and statistical representation based on information gathered on the specific topic, journals, and articles and from business articles.




Figure 1: Examples of Secondary data collection method

While doing this research, collecting information by the use of primary data collection method is not possible [6]. Conducting surveys, interviews related to the topic in a huge sample is neither possible. They have tried gathering or clustering different

information regarding the advantages of and disadvantages of sedation, difference between general anesthesia and sedation and usefulness of sedation on the patients.

Critically Analyze the Diadvantages of Sedation In Pharmacology

Sedatives can be used in various ways especially in the medical terms, Example, before opting for the surgery the patients is giving sedation so the patient

won't feel any pain while the surgery [5]. During the labour pain of a pregnant person, general anesthesia or the sedation is given to consolation the pain. Some commonly seductive are Benzodiazepines, Hypnotics.

Advantages IV Sedation	Disadvantages IV sedation
Deep sedation	Invasive Technique
Allows co-operation	Limited to fit Adults
Short acting	Patient must be escorted
Reversal available	Lose a day off work
Relatively safe	Increased risk – produces respiratory depression
Amnesic effect	Requires additional skill & training

Figure 2: Advantages and Disadvantages of sedation

The use of seductive slowly calms down the brain activity in the human being [7]. The disadvantages of sedation are as follows: difficulty in absorbing or focusing as it is impossible after the use of sedation, the person who is taking it they will lose their recollection power [9]. After the regain of the conscious they will feel the intolerable pain, the speech starts to vanishes after the intake of the seductive.

Modest sedation consists of the process while operating any shoulder part of a patient. Depth sedation is a strong drug given to a patient, which had an effect on the patient for a very long time. Gaining consciousness from the depth sedation may be taken a longer time as usual [12]. It is given while conducting a painful surgery of a patient. The use of general anesthesia is to apply on the patient for the painful operations. It depends on the individual how they will tackle with the different levels of sedation [13]. Different levels sedation is meant for different age groups. Deep sedation is mainly given to the adults which preparing for the huge surgery and operations. Mild sedation is mainly for the children where unless it if is not necessary it is been not given.

Critically Discuss the Different Levels of Sedation

In general, there are 4 levels of sedation: they are as mentioned least sedation which comprises of sedation with low impact on the patient where he can communicate normally without affecting the respiratory function [11]. Its aim is control the pain lightly without causing any loss on the patient.

	MINIMAL	MODERATE	DEEP	GENERAL ANESTHESIA
Responsiveness	Alert/Awake	Responds to Verbal Stimuli	Responds to Painful Stimuli	Unresponsive
Ventilation	Unaffected	Adequate	Maybe Inadequate	Frequently Inadequate
Airway	Unaffected	No Intervention	Intervention Maybe Needed	Intervention Often Required
Cardiovascular	Unaffected	Maintained	Usually Maintained	Maybe Impaired

Figure 3: Table showing the levels of sedation

[Source: 6]

Analyzing the Different Methods of Sedation

Sedation is consists of various types of methods. They are Nitrous oxide sedation is a fragrance free gas and it considered as a laughing gas [14]. It works once an individual patient inhales it and it affects stays only for 2 to 3 minutes. IV sedation is intolerable, time-consuming process. After taking this sedation, the patients immediately sleep [15]. For the short period of time it is given in less quantity and during the longer period the quantity of this sedation is given in higher quantity. Oral conscious sedation is mainly used for the toddlers where they

goes for painless procedure and was given mode rest sedation which does not affect their consciousness [5]. In this process the toddlers are given medicine in mouth which is easy method for them.

By, seeing their weight and height, this dose is given [2]. It is a harmless procedure for them after which they can go home once they are done with it. General anesthesia is for that patient who is not able to take part in the loner process [4]. It is also mainly for the children, with this procedure, the children are unaware of the surroundings and they will not know the things which happening surrounding them.

Level of Sedation	Responses to Stimuli	Airway	Spontaneous Ventilation	Cardiovascular Function
Minimal	Normal response to verbal stimulation	Unaffected	Unaffected	Unaffected
Moderate	Purposeful response to verbal or tactile stimulation	No intervention required	Adequate	Usually maintained
Deep	Purposeful response after repeated or painful stimulation	Intervention may be required	May be inadequate	Usually maintained
General anesthesia	Unarousable, even with painful stimulus	Intervention often required	Frequently inadequate	May be impaired

Figure 4: Different stages of sedation

Discuss the Importance of Sedation Technique for the Patient

The ICU to release the pain and anxiety in the patient mainly imposes sedations. It can be useful in many ways [10]. The patient when suffering from an unbearable pain anesthesia is provided to them. In the process of taking a teeth out, it has been seen that nowadays in all the opting process they use of anesthesia which caused the less pain while operation whereas in the earlier times the use of anesthesia or

sedation was not in the consideration was hardly used [9].

It is an easy procedure fort the patients as without any fear the anesthesia is provided. No use of needles is there as, most of the patients are afraid with the touch of needles so it has been changed with the in taking of medicines [7]. After taking the sedation, few of the patients they do not bother to recollect the things, which happened during the operation or the surgery.




Figure 5: Clinical outcomes in the clinical forms

Problem Statement

While conducting this research, the researchers have faced many problems related to this study, which consist as of getting accurate and absolute information on the topic [7]. Changes in the ways of giving general anesthesia or sedation is differs from person to person and it differs from time to time [6], which is difficult for the researchers as it is changing by the years. After the sedation the patients slowly wakes up and regain the consciousness.

3. Conclusion

The researchers have concluded that with the advantages of taking sedation. There are disadvantages as well, which is affecting the common people. These are the causes of sedation for the short

Yin, W., Tivay, A., & Hahn, J. O. (2022). Hemodynamic monitoring via model-based extended kalman filtering: hemorrhage resuscitation and sedation case study. *IEEE Control Systems Letters*, 6, 2455-2460. Retrieved from : <https://par.nsf.gov/servlets/purl/10391921> [Retrieved on :28.03.2023]

Beraldo, G., Menegatti, E., De Tommasi, V., Mancin, R., & Benini, F. (2019, October). A preliminary investigation of using humanoid social robots as non-pharmacological techniques with children. In 2019 IEEE International Conference on Advanced Robotics and its Social Impacts (ARSO) (pp. 393-400). IEEE. Retrieved from : https://www.researchgate.net/profile/Gloria-Beraldo/publication/337007825_A_preliminary_investigation_of_using_humanoid_social_robots_as_non-pharmacological_techniques_with_children/links/5dbffb674585151435e529f4/A-preliminary-investigation-of-using-humanoid-social-robots-as-non-pharmacological-techniques-with-children.pdf [Retrieved on :28.03.2023]

Cornejo, J., Perales-Villaruel, J. P., Sebastian, R., & Cornejo-Aguilar, J. A. (2020, October). Conceptual design of space biosurgeon for robotic surgery and aerospace medicine. In 2020 IEEE ANDESCON (pp. 1-6). IEEE. Retrieved from : https://www.researchgate.net/profile/Dr-Cornejo/publication/347294332_Conceptual_Design_of_Space_Biosurgeon_for_Robotic_Surgery_and_Aerospace_Medicine/links/6397fbaf484e65005b072691/Conceptual-Design-of-Space-Biosurgeon-for-Robotic-Surgery-and-Aerospace-Medicine.pdf [Retrieved on :28.03.2023]

drug dosing using integral reinforcement learning. *Mathematical biosciences*, 309, 131-142. Retrieved from :

period. Apart from this some of the causes which happen for the long term or for long duration. They are as follows: uneasiness in them, which did not let them to focus on the specific work, Gaining of weight is a common factor after the sedation process, which goes for a long period. With the sedation, it is not always that the person or the patients regain his or consciousness directly after the surgery. Most of the patients opt for the general anesthesia, as it is a painless procedure, which drives the patients towards them. Oral conscious sedation is mainly used for the toddlers where they goes for painless procedure and was given mode rest sedation that does not affect the toddlers.

4. Rferences

https://haddad.gatech.edu/journal/Model_Free_Control_Drug_Dosing.pdf [Retrieved on :28.03.2023]

Kim, J., Wichmann, T., Inan, O. T., & Deweerth, S. P. (2020). A wearable system for attenuating essential tremor based on peripheral nerve stimulation. *IEEE journal of translational engineering in health and medicine*, 8, 1-11. Retrieved from : <https://ieeexplore.ieee.org/iel7/6221039/8943243/09057541.pdf> [Retrieved on :28.03.2023]

Iadanza, E., Goretti, F., Sorelli, M., Melillo, P., Pecchia, L., Simonelli, F., & Gherardelli, M. (2020). Automatic detection of genetic diseases in pediatric age using pupillometry. *IEEE Access*, 8, 34949-34961. Retrieved from : <https://ieeexplore.ieee.org/iel7/6287639/8948470/08998205.pdf> [Retrieved on :28.03.2023]

Ort, T., Hanumara, N., Antonini, A., Araki, B., Abu-Khalaf, M., Detienne, M., ... & Slocum, A. (2021, November). MIT Emergency-Vent: an automated resuscitator bag for the COVID-19 crisis. In 2021 43rd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC) (pp. 4998-5004). IEEE. Retrieved from : <https://ieeexplore.ieee.org/iel7/9629355/9629471/09630882.pdf> [Retrieved on :28.03.2023]

San-Juan, D., Zenteno, M. A., Trinidad, D., Meza, F., Borsody, M. K., García, M. D. M. G., ... & Sacristan, E. (2019). A pilot study of facial nerve stimulation on cerebral artery vasospasm in subarachnoid hemorrhage patients. *IEEE Journal of Translational Engineering in Health and Medicine*, 7, 1-7. Retrieved from : <https://ieeexplore.ieee.org/iel7/6221039/6563131/08850013.pdf> [Retrieved on :28.03.2023]

- Costanzo, I., Sen, D., Rhein, L., & Guler, U. (2020). Respiratory monitoring: Current state of the art and future roads. *IEEE Reviews in Biomedical Engineering*, 15, 103-121. Retrieved from : <https://drive.google.com/file/d/1YwIlcnQ6E2jb0k0atn7RnmYS1va3xRL3/view> [Retrieved on :28.03.2023]
- Fan, Y., Xu, P., Jin, H., Ma, J., & Qin, L. (2019). Vital sign measurement in telemedicine rehabilitation based on intelligent wearable medical devices. *Ieee Access*, 7, 54819-54823. Retrieved from : <https://ieeexplore.ieee.org/iel7/6287639/6514899/08698754.pdf> [Retrieved on :28.03.2023]
- Aoyagi, T., Kabumoto, K., Takatori, F., & Inoue, M. (2020, July). A Novel Nasal Cannula Type Mainstream Capnometer System Capable of Oxygen Administration. In 2020 42nd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC) (pp. 4450-4453). IEEE. Retrieved from : <https://ieeexplore.ieee.org/iel7/9167168/9175149/09176713.pdf> [Retrieved on :28.03.2023]
- Arboleda, A., Amado, L., Rodriguez, J., Naranjo, F., & Giraldo, B. F. (2021, November). A new protocol to compare successful versus failed patients using the electromyographic diaphragm signal in extubation process. In 2021 43rd Annual International Conference of the IEEE Engineering in Medicine & Biology Society (EMBC) (pp. 5646-5649). IEEE. Retrieved from : <https://paperhost.org/proceedings/embs/EMBC21/files/1887.pdf> [Retrieved on :28.03.2023]
- Jia, Y., Kaul, C., Lawton, T., Murray-Smith, R., & Habli, I. (2021). Prediction of weaning from mechanical ventilation using convolutional neural networks. *Artificial intelligence in medicine*, 117, 102087. Retrieved from : https://eprints.whiterose.ac.uk/173819/1/AIIM_D_21_00066_R2.pdf [Retrieved on :28.03.2023]
- Rong, C., Li, X., Sun, X., & Sun, H. (2022). Chinese medicine prescription recommendation using generative adversarial network. *IEEE Access*, 10, 12219-12228. Retrieved from : <https://ieeexplore.ieee.org/iel7/6287639/9668973/09682726.pdf> [Retrieved on :28.03.2023]