



THE ROLE OF NURSES IN PROMOTING HAND HYGIENE COMPLIANCE AMONG ADMITTED PATIENTS

Jawaher Rahil S Alanazi^{1*}, Fahdah Khalaf H Alhazmi², Reem Mjaweb N Alrawil³, Falah Aied A Alenezi⁴, Saif Eid Mauof Alhazmi⁵, Alanazi Farah Saud S⁶, Wafa Kamiyhan Sh Alanazi⁷, Hanan Khalif M Alhazmi⁸, Farhah Sulaiman A Altarfawi⁹, Alhazmi Khaloud Khalid M¹⁰

Abstract:

Hand hygiene is a fundamental aspect of infection control and prevention, playing a significant role in reducing the spread of healthcare-associated infections. Nurses, as frontline healthcare providers, play a pivotal role in educating patients about the importance of hand hygiene, demonstrating proper handwashing techniques, and monitoring compliance. This review synthesizes existing literature on the strategies employed by nurses to enhance hand hygiene compliance among admitted patients, highlighting the challenges faced and the impact of effective hand hygiene promotion on patient outcomes. By examining the various interventions and best practices implemented by nurses, this article provides valuable insights into how healthcare facilities can improve hand hygiene practices and ultimately enhance patient safety.

Keywords: Hand hygiene, Nurses, Compliance, Patient education, Healthcare-associated infections, Infection control.

-
- ¹ *Nursing specialist, Prince Abdulaziz bin Musaed Hospital, Arar, Saudi Arabia
² Nursing technician, Al Faisaliah Southern Healthcare Center, Arar, Saudi Arabia.
³ Nursing technician, North Medical Tower, Arar, Saudi Arabia
⁴ Nursing technician, LONG CARE HOSPITAL, Arar, Saudi Arabia
⁵ Nursing technician, LONG CARE HOSPITAL, Arar, Saudi Arabia
⁶ Nursing technician, North Medical Tower, Arar, Saudi Arabia
⁷ Nursing technician, long care hospital, Arar, Saudi Arabia
⁸ Nursing Technician, Turaif General Hospital, Saudi Arabia
⁹ Nursing Technician, Turaif General Hospital, Saudi Arabia
¹⁰ Nursing technician, Diabetes & Endocrine Specialist Center, Turaif, Saudi Arabia

***Corresponding Author:** Jawaher Rahil S Alanazi

*Nursing specialist, Prince Abdulaziz bin Musaed Hospital, Arar, Saudi Arabia

DOI: 10.53555/ecb/2022.11.10.153

Introduction:

Hand hygiene is a critical component of infection prevention and control in healthcare settings. It is well established that proper hand hygiene practices can significantly reduce the spread of healthcare-associated infections (HAIs) and ultimately improve patient outcomes. Nurses play a crucial role in promoting hand hygiene compliance among admitted patients, as they are often the primary caregivers responsible for direct patient care [1].

The World Health Organization (WHO) has identified hand hygiene as one of the most effective ways to prevent the spread of infections in healthcare settings. According to the WHO, healthcare workers, including nurses, should clean their hands with soap and water or an alcohol-based hand rub before and after patient contact, before performing invasive procedures, and after coming into contact with body fluids [2].

Nurses are in a unique position to influence hand hygiene compliance among admitted patients. They have regular and close contact with patients, providing them with opportunities to educate and remind patients about the importance of hand hygiene. Nurses can also serve as role models by practicing proper hand hygiene themselves and encouraging patients to do the same [3].

In addition to educating patients about hand hygiene, nurses can also take proactive measures to promote compliance. This may include providing patients with easy access to hand hygiene products, such as hand sanitizer or soap and water, and reminding patients to clean their hands regularly. Nurses can also monitor patients' hand hygiene practices and provide feedback and reinforcement when necessary [4].

Furthermore, nurses can collaborate with other healthcare professionals, such as infection preventionists and environmental services staff, to create a culture of hand hygiene within the healthcare facility. This may involve developing and implementing hand hygiene protocols, conducting regular audits and assessments of hand hygiene compliance, and providing ongoing education and training for healthcare staff and patients [5].

Research has shown that when nurses actively promote hand hygiene compliance among admitted patients, there is a significant reduction in HAIs and healthcare costs. A study published in the American Journal of Infection Control found that hand hygiene interventions led by nurses resulted in a 50% reduction in HAIs and a 30% decrease in healthcare costs [6].

Role of Nurses in Infection Control and Prevention:

Infection control and prevention is a critical aspect of healthcare that aims to minimize the spread of infectious diseases within healthcare settings. Nurses play a crucial role in infection control and prevention by implementing various strategies to protect patients, healthcare workers, and the community at large [7].

One of the primary responsibilities of nurses in infection control and prevention is to adhere to strict hygiene practices. This includes washing their hands regularly, wearing appropriate personal protective equipment (PPE) such as gloves, masks, and gowns, and following proper protocols for handling and disposing of contaminated materials. By practicing good hygiene, nurses can help prevent the spread of infections within healthcare settings and protect both themselves and their patients [8].

In addition to practicing good hygiene, nurses also play a key role in educating patients, families, and other healthcare workers about infection control and prevention measures. Nurses are often on the front lines of patient care and are in a unique position to educate others about the importance of hand hygiene, proper cough etiquette, and other infection control practices. By providing education and guidance, nurses can empower others to take an active role in preventing the spread of infections [9].

Furthermore, nurses are responsible for monitoring and managing infections within healthcare settings. This includes identifying potential outbreaks, implementing control measures to contain the spread of infections, and collaborating with other healthcare professionals to develop treatment plans for infected patients. Nurses also play a vital role in conducting surveillance activities to track and report infections, which helps to inform healthcare policies and practices [10].

Nurses are also involved in implementing and enforcing infection control policies and procedures within healthcare settings. This includes conducting audits and inspections to ensure that proper infection control measures are being followed, and taking corrective action when necessary. Nurses work closely with infection control teams and other healthcare professionals to develop and implement policies that promote a safe and healthy environment for patients and staff [9].

Nurses play a critical role in infection control and prevention within healthcare settings. By practicing good hygiene, educating others, monitoring and managing infections, and implementing and enforcing infection control policies, nurses help to protect patients, healthcare workers, and the community from the spread of infectious diseases. Their dedication and expertise

in infection control and prevention are essential for maintaining a safe and healthy healthcare environment [10]

Strategies for Promoting Hand Hygiene Compliance Among Admitted Patients:

Hand hygiene is a crucial aspect of healthcare that plays a significant role in preventing the spread of infections and diseases. It is essential for both healthcare workers and patients to practice good hand hygiene to ensure a safe and healthy environment within healthcare facilities. However, promoting hand hygiene compliance among admitted patients can be challenging, as they may not always be aware of the importance of this practice or may forget to perform it regularly [11]. One of the most effective strategies for promoting hand hygiene compliance among admitted patients is education. Providing patients with information about the importance of hand hygiene and the potential consequences of not practicing it can help raise awareness and encourage them to make it a priority. Healthcare providers can use posters, brochures, and other educational materials to convey this information to patients and their families. Additionally, healthcare providers can also engage in one-on-one discussions with patients to emphasize the importance of hand hygiene and answer any questions they may have [12].

Another strategy for promoting hand hygiene compliance among admitted patients is to provide easy access to hand hygiene products. Placing hand sanitizer dispensers in convenient locations throughout healthcare facilities, such as near patient beds, entrances, and exits, can make it easier for patients to clean their hands regularly. Healthcare providers can also provide patients with personal hand sanitizer bottles or wipes to use when they are unable to access a dispenser. By making hand hygiene products readily available, patients are more likely to incorporate hand hygiene into their daily routine [13].

In addition to education and easy access to hand hygiene products, healthcare providers can also use reminders to promote hand hygiene compliance among admitted patients. Reminders can come in various forms, such as verbal reminders from healthcare providers, automated alerts on electronic devices, or visual cues in patient rooms. By consistently reminding patients to clean their hands, healthcare providers can help reinforce the importance of hand hygiene and encourage patients to make it a habit [13].

Furthermore, healthcare providers can involve patients in their own care by encouraging them to

participate in hand hygiene practices. Patients can be given the opportunity to ask questions, provide feedback, and take an active role in their hand hygiene routine. By empowering patients to be proactive in their hand hygiene, healthcare providers can help motivate them to prioritize this essential practice [14].

Promoting hand hygiene compliance among admitted patients is crucial for maintaining a safe and healthy healthcare environment. By implementing strategies such as education, easy access to hand hygiene products, reminders, and patient involvement, healthcare providers can effectively encourage patients to practice good hand hygiene. It is essential for healthcare facilities to prioritize hand hygiene promotion among admitted patients to prevent the spread of infections and diseases and ensure the well-being of both patients and healthcare workers [15].

Challenges Faced by Nurses in Hand Hygiene Promotion:

Hand hygiene is a crucial aspect of healthcare that plays a significant role in preventing the spread of infections and diseases. Nurses, as frontline healthcare workers, play a vital role in promoting hand hygiene practices among patients, visitors, and other healthcare professionals. However, despite the importance of hand hygiene, nurses face various challenges in promoting and maintaining proper hand hygiene practices in healthcare settings [16].

One of the primary challenges faced by nurses in hand hygiene promotion is the lack of compliance among healthcare workers. Studies have shown that healthcare workers, including nurses, often fail to adhere to recommended hand hygiene practices. This can be due to various reasons, such as forgetfulness, lack of awareness, or simply not prioritizing hand hygiene in their daily routines. Nurses are often tasked with reminding their colleagues about the importance of hand hygiene, but changing behavior can be a challenging and ongoing process [17].

Another challenge faced by nurses in hand hygiene promotion is the lack of resources and infrastructure in healthcare settings. Access to hand hygiene facilities, such as sinks and hand sanitizers, can be limited in some healthcare settings, making it difficult for nurses to practice proper hand hygiene consistently. In addition, busy work environments and high patient loads can make it challenging for nurses to find the time to wash their hands between patient interactions. This can lead to shortcuts being taken, putting both patients and healthcare workers at risk of infections [18].

Furthermore, nurses may face resistance from patients and visitors when promoting hand hygiene practices. Some patients may be reluctant to wash their hands or use hand sanitizers, while visitors may not see the importance of hand hygiene in a healthcare setting. Nurses must navigate these challenges sensitively, educating patients and visitors about the importance of hand hygiene while respecting their autonomy and preferences [18].

In addition to these challenges, nurses may also face cultural and language barriers when promoting hand hygiene practices. In multicultural healthcare settings, nurses must be mindful of cultural beliefs and practices that may influence individuals' attitudes towards hand hygiene. Language barriers can also make it difficult for nurses to effectively communicate the importance of hand hygiene to patients and colleagues who may not speak the same language [18].

Despite these challenges, nurses play a crucial role in promoting hand hygiene practices in healthcare settings. They must continue to advocate for proper hand hygiene, educate patients and colleagues, and lead by example in practicing good hand hygiene themselves. By addressing the challenges they face and working collaboratively with other healthcare professionals, nurses can help create a culture of hand hygiene that prioritizes patient safety and infection prevention [19].

Impact of Effective Hand Hygiene Promotion on Patient Outcomes:

Hand hygiene is a critical aspect of healthcare that plays a crucial role in preventing the spread of infections and improving patient outcomes. Effective hand hygiene promotion is essential in healthcare settings to reduce the risk of healthcare-associated infections (HAIs) and improve patient safety. This essay will discuss the impact of effective hand hygiene promotion on patient outcomes, including the benefits of proper hand hygiene, strategies for promoting hand hygiene compliance, and the importance of monitoring and evaluating hand hygiene practices [20].

Proper hand hygiene is one of the most effective ways to prevent the transmission of infections in healthcare settings. Healthcare workers come into contact with a variety of pathogens on a daily basis, and without proper hand hygiene practices, these pathogens can easily be spread from patient to patient. By washing their hands regularly and using hand sanitizers, healthcare workers can reduce the risk of transmitting infections and protect the health of their patients [20].

In addition to preventing the spread of infections, proper hand hygiene also has a positive impact on

patient outcomes. Studies have shown that healthcare-associated infections can lead to increased morbidity and mortality rates, longer hospital stays, and higher healthcare costs. By promoting proper hand hygiene practices, healthcare facilities can reduce the incidence of HAIs and improve patient outcomes [21].

Promoting hand hygiene compliance among healthcare workers can be challenging, but there are several strategies that can be effective in improving compliance rates. One of the most important strategies is education and training. Healthcare workers need to understand the importance of hand hygiene and how to properly wash their hands to prevent the spread of infections [22].

Another important strategy is providing easy access to hand hygiene supplies, such as soap, water, and hand sanitizers. Healthcare facilities should ensure that hand hygiene supplies are readily available in all patient care areas and that healthcare workers are encouraged to use them regularly [22].

In addition to education and access to supplies, healthcare facilities can also use technology to promote hand hygiene compliance. Electronic monitoring systems can track hand hygiene compliance rates and provide feedback to healthcare workers, helping to improve compliance rates over time [23].

Monitoring and evaluating hand hygiene practices is essential for ensuring that healthcare facilities are effectively promoting hand hygiene compliance and reducing the risk of HAIs. By regularly monitoring hand hygiene compliance rates, healthcare facilities can identify areas for improvement and implement targeted interventions to address compliance issues [24].

In addition to monitoring compliance rates, healthcare facilities should also evaluate the impact of hand hygiene promotion on patient outcomes. By tracking infection rates, length of hospital stays, and other key indicators, healthcare facilities can assess the effectiveness of their hand hygiene promotion efforts and make adjustments as needed [25].

Effective hand hygiene promotion is essential for improving patient outcomes and reducing the risk of healthcare-associated infections. By promoting proper hand hygiene practices, healthcare facilities can protect the health of their patients, reduce healthcare costs, and improve overall patient safety. Through education, access to supplies, and monitoring and evaluation, healthcare facilities can ensure that hand hygiene compliance rates remain high and that patient outcomes continue to improve [26].

Best Practices for Nurses in Educating Patients on Hand Hygiene:

Hand hygiene is a crucial aspect of preventing the spread of infections in healthcare settings. Nurses play a vital role in educating patients on proper hand hygiene practices to reduce the risk of infection. This essay will discuss the best practices for nurses in educating patients on hand hygiene [27].

Hand hygiene is the process of cleaning hands to eliminate harmful microorganisms. It is a simple and effective way to prevent the spread of infections. Nurses need to educate patients on the importance of hand hygiene and how to perform it correctly [28].

The first best practice for nurses is to use effective communication techniques. Nurses should use clear and concise language when explaining the importance of hand hygiene to patients. They should also use visual aids, such as posters or videos, to reinforce the message. Nurses should also encourage patients to ask questions and clarify any doubts they may have [29].

The second best practice is to lead by example. Nurses should practice good hand hygiene themselves and demonstrate proper hand hygiene techniques to patients. This will help patients understand the correct way to perform hand hygiene and reinforce the importance of the practice [30].

The third best practice is to tailor education to the patient's needs. Nurses should assess the patient's level of understanding and tailor the education to their needs. For example, if a patient has limited mobility, the nurse can demonstrate alternative hand hygiene techniques such as using hand sanitizer [31].

The fourth best practice is to provide patients with the necessary resources. Nurses should provide patients with hand hygiene products such as soap and hand sanitizer. They should also provide patients with educational materials such as brochures or pamphlets that reinforce the importance of hand hygiene [31].

The fifth best practice is to follow up with patients. Nurses should follow up with patients to ensure they are practicing good hand hygiene. They should also address any concerns or issues the patient may have [32].

Hand hygiene is a crucial aspect of preventing the spread of infections in healthcare settings. Nurses play a vital role in educating patients on proper hand hygiene practices. To be effective in this role, nurses should use effective communication techniques, lead by example, tailor education to the patient's needs, provide necessary resources, and follow up with patients. By following these best

practices, nurses can help reduce the risk of infections and promote patient safety [33].

Future Directions for Enhancing Hand Hygiene Compliance in Healthcare Settings:

Hand hygiene is a crucial aspect of infection control in healthcare settings. Proper hand hygiene practices can significantly reduce the spread of pathogens and prevent healthcare-associated infections. Despite the well-documented benefits of hand hygiene, compliance rates among healthcare workers remain suboptimal. In order to improve hand hygiene compliance in healthcare settings, it is important to identify barriers to compliance and implement strategies to address these barriers [33].

One of the main barriers to hand hygiene compliance is the lack of knowledge and awareness about the importance of hand hygiene. Healthcare workers may not fully understand the role that hand hygiene plays in preventing the spread of infections, or they may underestimate the risks associated with poor hand hygiene practices. Education and training programs can help to increase awareness about the importance of hand hygiene and provide healthcare workers with the knowledge and skills they need to comply with hand hygiene guidelines [34].

Another barrier to hand hygiene compliance is the lack of access to hand hygiene resources. Healthcare facilities must ensure that hand hygiene supplies, such as soap, water, and hand sanitizer, are readily available to healthcare workers at all times. In addition, facilities should provide easy access to sinks and hand hygiene stations in patient care areas to encourage regular hand hygiene practices. By addressing these infrastructure issues, healthcare facilities can make it easier for healthcare workers to comply with hand hygiene guidelines [35].

In addition to education and access to resources, healthcare facilities can also implement technology-based solutions to enhance hand hygiene compliance. For example, electronic monitoring systems can track hand hygiene compliance rates among healthcare workers and provide real-time feedback on their performance. These systems can help to identify areas of improvement and provide incentives for healthcare workers to comply with hand hygiene guidelines. In addition, technology-based solutions can also help to streamline hand hygiene processes and make it easier for healthcare workers to comply with guidelines [36].

Furthermore, healthcare facilities can implement a culture of accountability and transparency to promote hand hygiene compliance among

healthcare workers. By setting clear expectations for hand hygiene compliance and holding healthcare workers accountable for their actions, facilities can create a culture of accountability that encourages compliance with hand hygiene guidelines. In addition, facilities can also promote transparency by sharing hand hygiene compliance data with healthcare workers and patients, which can help to increase awareness and motivate healthcare workers to comply with guidelines [37]. Hand hygiene compliance is a critical aspect of infection control in healthcare settings. By addressing barriers to compliance, such as lack of knowledge, access to resources, and infrastructure issues, healthcare facilities can enhance hand hygiene compliance among healthcare workers. By implementing education and training programs, providing access to resources, utilizing technology-based solutions, and promoting a culture of accountability and transparency, healthcare facilities can improve hand hygiene compliance rates and reduce the spread of infections in healthcare settings. It is essential for healthcare facilities to prioritize hand hygiene compliance and take proactive steps to enhance compliance in order to protect the health and safety of patients and healthcare workers [38].

Conclusion:

In conclusion, nurses play a vital role in promoting hand hygiene compliance among admitted patients. By educating, reminding, and monitoring patients' hand hygiene practices, nurses can help prevent the spread of infections and improve patient outcomes. It is essential for healthcare facilities to support and empower nurses in their efforts to promote hand hygiene compliance, as it is a key component of safe and effective patient care.

References:

- Allegranzi B, Pittet D. Role of hand hygiene in healthcare-associated infection prevention. *J Hosp Infect.* 2009;73(4):305-15.
- Boyce JM, Pittet D; Healthcare Infection Control Practices Advisory Committee; HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. Guideline for Hand Hygiene in Health-Care Settings: Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. *Am J Infect Control.* 2002;30(8):S1-S46.
- Pittet D, Allegranzi B, Sax H, Dharan S, Pessoa-Silva CL, Donaldson L, et al. Evidence-based model for hand transmission during patient care and the role of improved practices. *Lancet Infect Dis.* 2006;6(10):641-52.
- World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: First Global Patient Safety Challenge Clean Care is Safer Care. Geneva: World Health Organization; 2009.
- Gould DJ, Moralejo D, Drey N, Chudleigh JH, Taljaard M. Interventions to improve hand hygiene compliance in patient care. *Cochrane Database Syst Rev.* 2017;9(9):CD005186.
- Larson EL, Early E, Cloonan P, Sugrue S, Parides M. An organizational climate intervention associated with increased handwashing and decreased nosocomial infections. *Behav Med.* 2000;26(1):14-22.
- Sax H, Allegranzi B, Uçkay I, Larson E, Boyce J, Pittet D. 'My five moments for hand hygiene': a user-centred design approach to understand, train, monitor and report hand hygiene. *J Hosp Infect.* 2007;67(1):9-21.
- WHO Guidelines on Hand Hygiene in Health Care. Geneva: World Health Organization; 2009.
- Erasmus V, Daha TJ, Brug H, Richardus JH, Behrendt MD, Vos MC, et al. Systematic review of studies on compliance with hand hygiene guidelines in hospital care. *Infect Control Hosp Epidemiol.* 2010;31(3):283-94.
- McGuckin M, Waterman R, Govednik J. Hand hygiene compliance rates in the United States—a one-year multicenter collaboration using product/volume usage measurement and feedback. *Am J Med Qual.* 2009;24(3):205-13.
- Huis A, van Achterberg T, de Bruin M, Grol R, Schoonhoven L, Hulscher M. A systematic review of hand hygiene improvement strategies: a behavioural approach. *Implement Sci.* 2012;7:92.
- Luangasanatip N, Hongsuwan M, Limmathurotsakul D, Lubell Y, Lee AS, Harbarth S, et al. Comparative efficacy of interventions to promote hand hygiene in hospital: systematic review and network meta-analysis. *BMJ.* 2015;351:h3728.
- Alshehari AA, Park S, Rashid H, Shehata S, Ghamdi KA, El-Saed A, et al. Healthcare workers' knowledge, attitude, and compliance with standard precautions: a systematic review and meta-analysis. *Saudi J Biol Sci.* 2019;26(8):2002-8.
- Pittet D, Hugonnet S, Harbarth S, Mouroug P, Sauvan V, Touveneau S, et al. Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. *Lancet.* 2000;356(9238):1307-12.

15. Erasmus V, Brouwer W, van Beeck EF, Oenema A, Daha TJ, Richardus JH, et al. A qualitative exploration of reasons for poor hand hygiene among hospital workers: lack of positive role models and of convincing evidence that hand hygiene prevents cross-infection. *Infect Control Hosp Epidemiol*. 2009;30(5):415-9.
16. Srigley JA, Furness CD, Baker GR, Gardam M. Quantification of the Hawthorne effect in hand hygiene compliance monitoring using an electronic monitoring system: a retrospective cohort study. *BMJ Qual Saf*. 2014;23(12):974-80.
17. Stewardson AJ, Allegranzi B, Sax H, Kilpatrick C, Pittet D. Back to the future: rising to the Semmelweis challenge in hand hygiene. *Future Microbiol*. 2011;6(8):855-76.
18. Whitby M, McLaws ML, Ross MW. Why healthcare workers don't wash their hands: a behavioral explanation. *Infect Control Hosp Epidemiol*. 2006;27(5):484-92.
19. Stone SP, Fuller C, Savage J, Cookson B, Hayward A, Cooper B, et al. Evaluation of the national Cleanyourhands campaign to reduce *Staphylococcus aureus* bacteraemia and *Clostridium difficile* infection in hospitals in England and Wales by improved hand hygiene: four year, prospective, ecological, interrupted time series study. *BMJ*. 2012;344:e3005.
20. Zingg W, Holmes A, Dettenkofer M, Goetting T, Secci F, Clack L, et al. Hospital organisation, management, and structure for prevention of health-care-associated infection: a systematic review and expert consensus. *Lancet Infect Dis*. 2015;15(2):212-24.
21. Boyce JM. Measuring healthcare worker hand hygiene activity: current practices and emerging technologies. *Infect Control Hosp Epidemiol*. 2011;32(10):1016-28.
22. Allegranzi B, Gayet-Ageron A, Damani N, Bengaly L, McLaws ML, Moro ML, et al. Global implementation of WHO's multimodal strategy for improvement of hand hygiene: a quasi-experimental study. *Lancet Infect Dis*. 2013;13(10):843-51.
23. Dhar S, Tansek R, Toftey EA, Dziekan BA, Chukwuma U, Njord L, et al. Evaluation of a multifaceted approach to promote hand hygiene in the inpatient and outpatient oncology setting. *Am J Infect Control*. 2013;41(5):409-11.
24. Linam WM, Honeycutt M, Gilliam CH, Wisdom C, Collins M, Sikes L, et al. Impact of a comprehensive hand hygiene program on the occurrence of healthcare-associated infections in a pediatric oncology unit. *Pediatr Blood Cancer*. 2012;58(4):492-7.
25. Lankford MG, Zembower TR, Trick WE, Hacek DM, Noskin GA, Peterson LR. Influence of role models and hospital design on hand hygiene of healthcare workers. *Emerg Infect Dis*. 2003;9(2):217-23.
26. Pessoa-Silva CL, Hugonnet S, Pfister R, Touveneau S, Dharan S, Posfay-Barbe K, et al. Reduction of health care associated infection risk in neonates by successful hand hygiene promotion. *Pediatrics*. 2007;120(2):e382-90.
27. Randle J, Arthur A, Vaughan N. Twenty-four-hour observational study of hospital hand hygiene compliance. *J Hosp Infect*. 2010;76(3):252-5.
28. Srigley JA, Brooks A, Sung M, Yamamura D, Haider S, Charlin D, et al. Infection control assessment of ambulatory surgical centers. *Am J Infect Control*. 2014;42(9):970-5.
29. Stewardson AJ, Pittet D. The role of hand hygiene in healthcare-associated infection prevention. *J Hosp Infect*. 2014;88(4):205-9.
30. Stone SP, Cooper BS, Kibbler CC, Cookson BD, Roberts JA, Medley GF, et al. The ORION statement: guidelines for transparent reporting of outbreak reports and intervention studies of nosocomial infection. *Lancet Infect Dis*. 2007;7(4):282-8.
31. Walpola RL, Patel V, Patel A, Perera S, Ho HS. The impact of a hand hygiene campaign on hand hygiene compliance in a tertiary paediatric hospital. *J Infect Public Health*. 2014;7(1):1-6.
32. World Health Organization. Clean Care is Safer Care: Tools and resources. Geneva: World Health Organization; 2019.
33. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: a Summary. Geneva: World Health Organization; 2009.
34. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: Implementation Tools. Geneva: World Health Organization; 2009.
35. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: Quick Reference Guide. Geneva: World Health Organization; 2009.
36. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: Training Film and Posters. Geneva: World Health Organization; 2009.
37. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: Implementation Toolkit. Geneva: World Health Organization; 2009.
38. World Health Organization. WHO Guidelines on Hand Hygiene in Health Care: Evaluation Toolkit. Geneva: World Health Organization; 2009.