

DEVELOPMENT AND VALIDATION OF A QUESTIONNAIRE FOR CAPTURING PALLIATIVE CARE NEEDS OF THE ELDERLY IN INDIA-YENEPOYA UNIVERSITY EMPATHY QUESTIONNAIRE (YEMPATHY)

Dr. Prathvi Nandalike^{1*}, Dr. Prabha Adhikari², Dr. Nimrah Fathima³, Dr. Sandhya Rani⁴

Article History: Received: 10.05.2023	Revised: 21.06.2023	Accepted: 31.07.2023

^{1*}Departmentof General Medicine Yenepoya Medical College ²Departmentof Geriatrics, Yenepoya Medical College ^{3,4}JSS Medical College and Adichunchangiri Medical College

Corresponding Author: Dr Prathvi Nandalike^{1} ^{1*}Departmentof General Medicine Yenepoya Medical College

DOI: 10.31838/ecb/2023.12.s3.794

1. Introduction :

Palliative care is an important public health issue due to population ageing. Although there is a greater awareness on the problem and the Government initiatives to train doctors and nurses in Palliative care and Geriatric Care through the National NCD programme, there is no structured format to assess the palliative care needs of the elderly Yenepoya University is the only University in India which offers a course in Palliative Care with Emphasis on Geriatric Care in association with

MEDIACION,Germany.Hence we planned to do a study to develop a questionnaire to capture Geriatric Palliative Care Needs

Aim of the Study : To develop a symptom check list /questionnaire to capture physical

,psychological, social ,spiritual issues, functional limitations and wishes of the elderly suffering from end stage diseases and or multiple morbidity

2. Methodology :

A symptom check list was developed based on the chapters in palliative care training module developed in our University.The questionnaire included Part 1 with demographic details and indication for palliative care, Part 2 with 12 Physical symptoms,Part 3 with 11 psychological symptoms, Part 4 with 11 social needs, part 5 with 7 spiritual issues, part 6 with 9 functional needs and part 7 with wish list and importance of each wish and part 8 is for intervention plan by the physician.

Parts	Number of questions and contents
1	Demographic details and indications of
	palliative care

2	12 physical symptoms
3	11 psychological symptoms
4	11 social needs
5	7 spiritual issues
6	9 functional needs
7	Wish list and importance of each wish
8	Intervention plan by the physician

3. Results :

The questionnaire developed was sent to 4 Geriatric Experts ,One psychiatrist.two palliative care specialists were given this to validate that content .The questionnaire was initially administered to 20 elderly and modified and changed for clarity .Certain psychological and spiritual issue data were collected from the care giver who is observing the patient over some time since the psychiatrist felt that question on confusion is by observing the individual for a while and there is difference between the word confusion which may mean acute confusional state and delirium to a geriatrician while in English it may mean that confusion could be regarding diagnosis of disease to management issues

The questionnaire was administered to 330 elderly with 30 in each group of cancer, liver cell failure, end stage kidney disease, end stage lung disease, refractory heart failure, dementia, stroke with poor recovery ,fracture and immobility, fraility, ICU patients and Multimorbid elderly where atleast two organ systems are moderately involved.

The questionnaire just needed 20 minutes to administer .The questionnaire has been used by postgraduates, psychologist ,palliative care physicians , physicians who found it easy to use

4. Conclusion :

YEmpathy questionnaire for assessing palliative care needs is useful,time saving and is an daid to provide quality palliative care and also helps in improving care by focusing on quality of life rather than physician oriented and disease oriented care

5. References:

- 1.The effects of empathy skills training on nursing students' empathy and attitudes toward elderly people,Sakineh Gholamzadeh, Maryam Khastavaneh, ...Soraya Ghadakpour Show authors,BMC Medical Education volume 18, Article number: 198 (2018) Cite this article.
- 2.World Health Oraganization. 2018. Ageing and health. http://www.who.int/newsroom/fact-sheets/detail/ageing-andhealth. Accessed 20 June 2018.
- 3.Longman JM, Rolfe MI, Passey MD, Heathcote KE, Ewald DP, Dunn T, Barclay LM, Morgan GG. Frequent hospital admission of older people with chronic disease: a cross-sectional survey with telephone follow-up and data linkage. BMC Health Serv Res. 2012;12:373.
- 4.Afshar PF, Asgari P, Shiri M, Bahramnezhad F. A review of the Iran's elderly status according to the census records. Galen Med J. 2016;5(1):1–6.

















		e Care symptom Ch End stage d	iseases a	ind prolonge	d immot	ilisation	
ert i							
emec	ogra	phic details :Name		Gane	er M/F	1	vears
/ard : Primary Diagno			Diamor		Age-	years	
rogn	osis	predicted years of su		is with stage			
		Presided years of Su	rvival)			Occupation	
irt 2							
Phy	sica	symptoms experien	ced in the		can be ar	nswered by pat	ient or care
	_			giver)			
		Symptoms	Never	sometimes	Often	Always	
	1	Pain					
	2	Difficulty in breathing		13			
-	3	Nausea, retching and vomiting	019			La la	
-	4	Constipation					
t	5	Diarrhoea	Prest.	- Sad		10.00	
Ī	6	Sleepy during day time	1				
1	7	Generalised weakness	0	14			
1	B	loss of appetite	018		1	1000	
-	9	Itching	Links.	2.1.1	-		
1	10	Loss of memory	2 de		10		
tr	11	Any other symptom-		Est al			
		Stand I					