



## POLYMER TECHNOLOGY AND ITS IMPACT ON THE PHARMACEUTICAL INDUSTRY

Lukeshwar Nirmalkar, Pranjul Shrivastava\*

Faculty of Pharmacy, Kalinga University, Naya Raipur

[Pranjul.shrivastava@kalingauniversity.ac.in](mailto:Pranjul.shrivastava@kalingauniversity.ac.in)

---

**Article History: Received:** 12.05.2023

**Revised:** 25.05.2023

**Accepted:** 05.06.2023

---

### Abstract

The use of polymer technology has been steadily increasing in the pharmaceutical industry, and its applications are proving to have a profound impact on the industry. Polymer technology is a relatively new field of research that involves the study and manipulation of polymers, a type of large molecule that consists of repeating structural units. These polymers, which are commonly made up of plastic, metal, or ceramic materials, can be used in a variety of ways in the pharmaceutical industry and have the potential to revolutionize the way drugs are created and delivered. In the pharmaceutical industry, polymers are most often used to create drug delivery systems, which are used to deliver drugs to their intended target in the body. Drug delivery systems can be designed to deliver drugs at specific rates and to specific locations in the body, allowing for more effective and efficient drug delivery. Additionally, polymers can be used to create coatings and capsules for drugs, as well as implants and transdermal systems for drug delivery. The use of polymer technology in the pharmaceutical industry has had a significant impact on the industry and has been instrumental in the development of new drugs and drug delivery systems. By allowing for more precise and efficient delivery of drugs, polymer technology has allowed for the creation of drugs that have a greater effect and fewer side effects, as well as drugs that can be administered more easily and with less pain. Additionally, polymer technology has allowed for the development of new drug delivery systems that are less invasive and more effective than those used in the past. As the use of polymer technology continues to grow in the pharmaceutical industry, it promises to revolutionize the way drugs are created and delivered. The incredible impact of polymer technology on the pharmaceutical industry is only just beginning to be seen, and its future applications are sure to have a profound effect on the industry.

**Keywords:** Polymers, Pharmaceutical industry, Drug delivery system, Polymer technology

---

### Introduction

Polymer technology has become increasingly important in the pharmaceutical industry in recent years. This technology is based on the use of polymers, which are large molecules composed of repeating structural units, to create various products. Polymers are used to create a range of products, from drug delivery systems to medical devices. The use of polymers in the pharmaceutical

industry has had an incredible impact on the development and delivery of medicines, leading to more effective and safer treatments. The use of polymers in the pharmaceutical industry is not a new concept; they have been used since the mid-20th century. However, recent advances in polymer technology have led to more innovative and effective drug delivery systems. For example, polymers can be used to create targeted drug

delivery systems, which allow for drugs to be delivered directly to the affected area. This type of delivery system is especially beneficial for cancer treatments, as it allows for drugs to be delivered to the tumor site without exposing healthy cells to the treatment. Additionally, polymers can be used to create sustained-release drug delivery systems, which allow for drugs to be released over an extended period of time. This type of system is particularly useful for long-term treatments, such as for chronic illnesses. Overall, polymer technology has had a huge impact on the pharmaceutical industry. It has enabled the development of more effective and efficient drug delivery systems, leading to more effective treatments with fewer side effects. This technology is continuing to evolve, and it is likely that its impact in the pharmaceutical industry will continue to grow in the coming years.

### **Benefits of Polymer Technology for Pharmaceuticals**

Polymer technology has had a tremendous impact on the pharmaceutical industry. From drug delivery to drug manufacture, polymers are used to improve the efficacy of medications and make them more accessible. Here are some of the key benefits of using polymer technology in the pharmaceutical industry:

**Improved Drug Delivery:** Polymers are used to create drug delivery systems that enable medications to be released into the body in a slow, controlled manner. This ensures that the drug is released into the bloodstream in the most effective way possible, resulting in improved efficacy and fewer side effects.

**Cost Savings:** Polymer-based drug delivery systems are often more cost-effective than traditional drug delivery systems, leading to cost savings for pharmaceutical manufacturers.

**Enhanced Safety:** Polymer-based drug delivery systems are often safer than

traditional drug delivery systems, as they are less likely to cause an overdose or other adverse reactions.

**Improved Stability:** Polymers can help to improve the stability of drugs, making them easier to store and distribute, resulting in improved shelf life and fewer wasted medications.

In summary, polymer technology has had a tremendous impact on the pharmaceutical industry, leading to improved drug delivery, cost savings, enhanced safety, and improved stability. This technology has enabled pharmaceutical manufacturers to create more effective medications that are more accessible and safer to use.

### **Examples of Polymer Technology Used in Pharmaceuticals**

Polymer technology has been widely used in the pharmaceutical industry, with numerous applications and benefits. From making medicines easier to take, to improving drug delivery and protecting drugs from oxidation, polymer technology has revolutionized the way we think about medication. One of the most commonly used forms of polymer technology in pharmaceuticals is the use of capsule shells. Capsules are made from a variety of polymers, including starch, gelatin, and cellulose. These shells allow for easier swallowing of medications and can also be used to mask the taste and smell of certain medicines. Polymer technology is also used in the manufacture of tablets. Tablets are made with a variety of polymers, including polyvinyl pyrrolidone, cellulose, and sodium lauryl sulfate. These polymers can provide strength and stability to tablets and can also help with disintegration and dissolution, allowing for more efficient delivery of the drug. In addition, polymers are used to create drug-eluting stents. These stents are coated with a polymer that slowly releases a drug, allowing for a more controlled and sustained release of the medication. This technology is useful for medications that are used to treat cardiovascular diseases. Finally, polymers

are also used to create drug-containing nanocarriers. These nanocarriers are microscopic particles that are designed to carry a drug to its target. By delivering drugs directly to the target, nanocarriers can improve the efficacy and safety of the drug. These are just a few examples of how polymer technology is used in the pharmaceutical industry. Polymer technology has revolutionized the way we think about medication, and it continues to have an incredible impact on the industry.

The advent of polymer technology has had a profound impact on the pharmaceutical industry, with numerous applications in drug delivery, drug formulation, and medical device design. Polymer technology is the science of creating and manipulating molecules to create new materials with unique properties. Polymers are used in the pharmaceutical industry in a variety of ways, including targeted drug delivery, sustained release and controlled release of drugs, and drug formulation.

### **Targeted Drug Delivery**

Targeted drug delivery is one of the most important applications of polymer technology in the pharmaceutical industry. Polymers can be used to bind to a specific target, such as a tumor cell, and deliver a drug directly to that target. This type of delivery can be used to reduce the amount of drug needed, as well as reduce the side effects associated with the drug.

### **Sustained and Controlled Release**

Another application of polymer technology in the pharmaceutical industry is the sustained and controlled release of drugs. Polymers can be used to encapsulate a drug and slowly release it over time. This allows for a more consistent release of the drug, reducing side effects and improving efficacy.

### **Drug Formulation**

Finally, polymer technology is used in drug formulation. Polymers can be used to create nanosuspensions, which can be used to increase the solubility of drugs,

allowing them to be more effectively absorbed by the body. Polymers can also be used to create nanoemulsions, which can be used to increase the stability of drugs, allowing them to be stored for longer periods of time. Overall, polymer technology has had a tremendous impact on the pharmaceutical industry, with numerous applications in drug delivery, drug formulation, and medical device design. By utilizing polymer technology, pharmaceutical companies are able to create more effective and safe drugs, as well as more efficient and cost-effective devices.

### **Challenges of Polymer Technology in the Pharmaceutical Industry**

The integration of polymer technology into the pharmaceutical industry has had incredible results. It has allowed for the production of more effective and affordable drugs, as well as the development of new drug delivery systems. However, there are still challenges that must be addressed when utilizing polymer technology in the pharmaceutical industry. First, polymer technology requires a high level of precision, which can be difficult to achieve in a production environment. Additionally, the complexity of the technology can lead to lengthy and expensive development cycles. Finally, the development of new polymeric drug delivery systems is not without its risks. Many of the polymers used in these systems can be toxic if not properly formulated, and this toxicity can cause serious side effects. In order to ensure the safe and effective use of polymer technology in the pharmaceutical industry, it is important to have a thorough understanding of the technology and its potential risks. Additionally, robust quality control processes should be implemented to ensure that the polymers used in drug delivery systems are safe and effective. With the right precautions in place, polymer technology can continue to be a

powerful tool for improving patient outcomes.

The use of polymer technology has revolutionized the pharmaceutical industry, allowing for more effective and efficient treatments. However, there are still challenges that need to be addressed when it comes to the implementation of this technology. One of the main challenges is the cost associated with the development and manufacture of polymer-based drugs. While this technology can reduce the cost of production, it can also increase the cost of research and development. This can be a daunting task for pharmaceutical companies that are already struggling to stay afloat. In addition to the cost associated with the development and manufacture of polymer-based drugs, there are also challenges associated with the quality of the final product. The quality of the drugs must be maintained in order for the drugs to be effective and safe for patients. This can be a difficult process as the quality of the polymer-based drugs needs to be consistent. Finally, there is the challenge of regulatory compliance. The FDA and other regulatory bodies require that the drugs produced using polymer technology meet certain standards and regulations. This can be a daunting task for pharmaceutical companies as they must ensure that their product meets all regulatory requirements. Overall, polymer technology has had an incredible impact on the pharmaceutical industry. However, there are still challenges that need to be addressed in order to make this technology more widely used. Companies must ensure they are aware of the cost, quality and regulatory requirements associated with this technology in order to ensure that their drugs are safe and effective for patients.

### **Future of Polymer Technology in Pharmaceuticals**

The potential of polymer technology in the pharmaceutical industry is immense. From drug delivery systems to drug packaging,

the use of polymers has revolutionized the way drugs are developed and used. Polymers are now used in a variety of pharmaceutical applications, including controlled release of drugs, drug delivery systems, and drug packaging. The ability of polymers to be tailored to specific applications makes them particularly attractive to pharmaceutical companies. By controlling the rate of drug release, polymers can be used to deliver drugs over long periods of time. This means that fewer doses of a drug are needed, which can reduce patient costs and improve convenience. Polymers can also be used to create drug delivery systems that are more efficient than traditional methods. The use of polymers in drug packaging has also been instrumental in preventing contamination. Polymer packaging can be used to protect drugs from light, moisture, and other environmental conditions. This helps to ensure that drugs are stored and delivered in a safe and effective manner. The future of polymer technology in pharmaceuticals looks bright. Companies are exploring new ways to use polymers to improve drug delivery, packaging, and safety. As more research is conducted, the potential for polymers to revolutionize drug development and delivery will continue to increase. With the right technology and support, the potential of polymer technology in pharmaceuticals can be fully realized.

### **Conclusion**

The use of polymers in drug delivery systems has enabled the efficient and targeted delivery of drugs to specific areas of the body, allowing for more targeted treatments. The use of polymers in pharmaceuticals has also allowed for the development of more cost-effective medicines. Polymers are much cheaper to produce than traditional drugs, and as a result, they can be developed and sold at a much lower cost. This has made medicines more affordable and accessible to the general public, and has helped to reduce



the overall cost of healthcare. Polymer technology has also enabled the development of more efficient drug delivery systems, allowing for the targeted release of drugs in specific areas of the body. This can reduce the amount of drugs needed and improve the effectiveness of treatments. Overall, polymer technology has revolutionized the pharmaceutical industry, making medicines more accessible and affordable. It has enabled the development of more efficient and targeted drug delivery systems, and has allowed for the production of more cost-effective medicines. It is clear that polymer technology has had a huge impact on the pharmaceutical industry, and will continue to be a major force in the years to come.

## References

1. Slaughter B, Khurshid S, Fisher OZ, Khademhosseini A, Peppas NA. Hydrogels in regenerative medicine. *Adv. Mater.* 2009;21:3307–29.
2. Peppas NA, Hoffman AS, Kanamori T, Tojo K, editors. *Advances in Medical Engineering, Drug Delivery Systems and Therapeutic Systems*. AIChE; New York: 2006. p. 342.
3. Rowe RC, Sheskey PJ, Owen SC. *Handbook of Pharmaceutical Excipients*. 5th ed Pharmaceutical Press; American Pharmacists Association; Grayslake, IL: Washington, D.C.: 2005. p. 850.
4. S.P. Vyas, Roop K. Khar, *Controlled Drug Delivery - Concepts and Advances*, 1st ed: Vallabah Prakashan, 2002; 1-50, 294–229, 411-446.
5. N.K. Jain, *Controlled and Novel Drug Delivery*, 1st ed: 1997; Reprint: CBS Publishers & Distributers, 2008; 82-96.
6. Roop K Khar, SP Vyas, Farthan J Ahmad, Gaurav K Jain, Lachman/Lieberman's, *The Theory and Practice of Industrial Pharmacy*, 4th ed, 403-448, 576-596.
7. Shradha Tomar, Lalit Singh, Vijay Sharma, *Miraculous Adjuvants: The Pharmaceutical Polymers*, *Int. Res. J. Pharm.*, 2016; 7(7).
8. K Gupta, P Shrivastava, *Modern Sophisticated Instruments Used In Pharmaceutical Science For Drug Discovery*, *Journal of East China University of Science and Technology* 65 (2), 292-302.
9. Naveen Kumar, Sonia Pahuja, Ranjit Sharma, *Pharmaceutical Polymers - A Review*, *International Journal of Drug Delivery Technology*, 2019; 9(1): 27-33.
10. Krushnakumar J. Gandhi\*, Subhash V Deshmane, Kailash R Biyani, *polymers in pharmaceutical drug delivery system: a review*, *Int. J. Pharm. Sci. Rev. Res.*, 2012; 14(2): 10, 57-66.
11. N. G. Raghavendra Rao, B. Shravani, Mettu Srikanth Reddy, *Overview on Buccal Drug Delivery Systems*, *J. Pharm. Sci. & Res.*, 2013; 5(4): 80–88.
12. Priyanka Shinde\*1, Manodaya Patil2 and Akshay Patil3, *Methods, types and applications of pharmaceutical polymers*, *WJPPS*, 6(8): 784-797.
13. Subhash Mandal, C. M. *Status and Future Prospects of New Drug Delivery System*. *Pharma Times*, 2010; 42(4): 13-16.
14. Stephen L. Rosen, *Fundamental Principles of Polymeric Practices*, A Wiley-Interscience Publication, Second edition, 1993; 1-200.
15. Saurabh Sharma, Ajay Harit. (2022). *Approach for A Biodegradable Polymer For Sanitary Napkins*. *Journal of Pharmaceutical Negative Results*, 3572–3580.

16. David Jones, Pharmaceutical Applications of Polymers for Drug Delivery, Rapra Technology, 2004; 15(6).
17. Eeckman F, Moes A J, Amighi K, Synthesis and Characterization of Thermosensitive Copolymers For Oral Controlled Drug Delivery, European Polymer Journal, April, 2004; 873-81.
18. P.J. Watts, M.C. Davies and C.D. Melia, Critical Reviews in Therapeutic Drug Carrier Systems, 1990; 7: 235.
19. Liu Y, Meng L, Lu X, Zhang L, He Y. Polym Adv Technol, 2008; 19: 137–143 17.
20. Ohya S, Sonoda H, Nakayama Y, Matsuda T. Biomaterials, 2005; 26: 655–659.
21. Suwa K, Morishita K, Kishida A, Akashi M. J Polym Sci Part A Polym Chem., 1997; 35: 3087–3094.
22. Na K, Lee KH, Lee DH, Bae YH Eur J Pharm Sci., 2006; 27: 115–122.
23. Sosnik A, Cohn D. Biomaterials, 2004; 25: 2851–2858.
24. Jones DP, Carlson JL, Samiec PS, Sternberg P Jr, Mody V C Jr, Reed RL, Brown LAS Clinica Chimica Acta, 1998; 275: 175–184.